






A close-up photograph of a roof installation. The image shows several rows of grey, interlocking metal roof panels. The panels have a ribbed design and are shown in the process of being laid out. The interlocking mechanism is clearly visible, with one panel's lip fitting into the groove of the panel below it. The background shows a concrete wall and a wooden structure, suggesting a construction site.


INSTALLATION INSTRUCTIONS

INTERLOCK

PREPARATION INSTALLATION





LAYING INSTALLATION



LAYING TECHNIQUE

STARTER & HIDDEN GUTTERG INSTALLATION



Hidden Gutter


Length	1350 mm	44.88"
Usefull length	1250 mm	44.09"
Width	60 mm	2.37"
Thickness	0,45 mm	26 gauge
Weight	0.57 kg	8.62 lb

Related accessories



Start Profile

BARGE BOARD
INSTALLATION



BARGE BOARD




BBC

Length	1350 mm	53.15"
Usefull length	1250 mm	49.21"
Width	42 mm	1.65"
Thickness	0,45 mm	26 gauge
Weight	1,39 kg	3.06 lb
Related accessories		



Hidden Gutter

EAVE APRON INSTALLATION




Eave Apron

Length	1350 mm	53.15"
Usefull length	1250 mm	49.21"
Width		
Thickness	0,45 mm	26 gauge
Weight	1.63 kg	3.60 lb
Related accessories		



Start Profile


RIDGE
INSTALLATION



Length	1350 mm	53.15"
Usefull length	1250 mm	49.21"
Width	230 mm	9.06"
Thickness	0,45 mm	26 gauge
Weight	2.22 kg	4.90 lb
Related accessories		

AR.130

HIPS INSTALLATION



HIPS




AR.130

Length	1350 mm	53.15"
Usefull length	1250 mm	49.21"
Width	230 mm	9.06"
Thickness	0,45 mm	26 gauge
Weight	2.22 kg	4.90 lb
Related accessories		



Hidden gutter

VALLEY INSTALLATION





VA

Length	1350 mm	53.15"
Usefull length	1250 mm	49.21"
Width	340mm	13.40"
Thickness	0,45 mm	26 gauge
Weight	1.87 kg	4.12 lb
Related accessories		

VALLEY

CHIMNEY INSTALLATION



ROOF WINDOW INSTALLATION

